

Product Description

Paraseal® Paragranular™ is a premium, Wyoming-type, high swelling, granular, sodium bentonite. When in the presence of water, Paragranular reacts and forms an impervious waterproof gel.

Basic Uses

Paragranular is designed to work in conjunction with Paraseal products to form a waterproof transitional seal. It is used to form a cove at all horizontal to vertical transition, at floor/wall transitions and penetrations through horizontal surfaces, and to fill voids around irregularities. Saltwater grade Paragranular is also available upon request.

Availability

Immediately available from your local Tremco Sales Representative or Distributor. For Distributor locations, visit www.tremcosealants.com.

Packaging

50-lb (22.7-kg) bags yielding approximately 37 linear ft (11.28 m)

Warranty

Tremco warrants its Products to be free of defects in materials but makes no warranty as to appearance or color. Since methods of application and on-site conditions are beyond our control and can affect performance, Tremco makes no other warranty, expressed or implied, including warranties of MERCHANTABILITY and FITNESS FOR A PARTICULAR PURPOSE with respect to Tremco Products. Tremco's sole obligation shall be, at its option, to replace or to refund the purchase price of the quantity of Tremco Products proven to be defective, and Tremco shall not be liable for any loss or damage.

Please refer to our website at www.tremcosealants.com for the most up-to-date Product Data Sheets.

NOTE: All Tremco Safety Data Sheets (SDS) are in alignment with the Globally Harmonized System of Classification and Labelling of Chemicals (GHS) requirements.

0316/PARAGRDS-BG

Tremco Commercial Sealants & Waterproofing

3735 Green Rd
Beachwood OH 44122
216.292.5000 / 800.321.7906

1451 Jacobson Ave
Ashland OH 44805
419.289.2050 / 800.321.6357

220 Wicksteed Ave
Toronto ON M4H1G7
416.421.3300 / 800.363.3213

1445 Rue de Coulomb
Boucherville QC J4B 7L8
514.521.9555

